

From: [Eyth, Alison](#)
To: [Palma, Elizabeth](#)
Subject: FW: NODA - boiler MACT units
Date: Wednesday, October 10, 2018 11:12:28 PM

From: Holly.Kaloz@epa.ohio.gov [mailto:Holly.Kaloz@epa.ohio.gov]
Sent: Wednesday, March 01, 2017 9:07 AM
To: Eyth, Alison <Eyth.Alison@epa.gov>
Subject: RE: NODA - boiler MACT units

Hi Alison,

I think this will be helpful. I'll let you know if I have further questions as I review it closer.

Thanks again!
Holly

Holly Kaloz
Ohio Environmental Protection Agency
Division of Air Pollution Control
50 W. Town St., Suite 700
Columbus, Ohio 43215

Tel: 614-644-3632
e-mail: holly.kaloz@epa.ohio.gov

From: Eyth, Alison [<mailto:Eyth.Alison@epa.gov>]
Sent: Thursday, February 16, 2017 5:37 PM
To: Kaloz, Holly <Holly.Kaloz@epa.ohio.gov>
Subject: FW: NODA - boiler MACT units

Holly,

Please let us know if this has what you need.

Alison

From: Vukovich, Jeffrey
Sent: Thursday, February 16, 2017 5:07 PM
To: Eyth, Alison <Eyth.Alison@epa.gov>
Subject: RE: NODA - boiler MACT units

Alison,

There are 27 facilities involved. I mapped in the agency facility ID and facility names. If they want all the agency unit IDs associated with these facilities, the sheet "OH_MACT_facility_info" has those units listed. Let me know if you need more info.

Jeff

From: Eyth, Alison
Sent: Thursday, February 16, 2017 2:55 PM
To: Vukovich, Jeffrey <Vukovich.Jeffrey@epa.gov>
Subject: FW: NODA - boiler MACT units

Thanks for your help!

From: Holly.Kaloz@epa.ohio.gov [<mailto:Holly.Kaloz@epa.ohio.gov>]
Sent: Monday, February 13, 2017 3:27 PM
To: Eyth, Alison <Eyth.Alison@epa.gov>
Subject: RE: NODA - boiler MACT units

Thanks, Alison! Would it be possible for you to resend this spreadsheet with the Facility Name, Agency Facility ID and Agency Facility Unit identified? I'm having difficulty cross-referencing it with our database with the information provided. At this time, I only need that additional information for the BiolerMACT tab for Ohio facilities.

Thanks again,
Holly

Holly Kaloz
Ohio Environmental Protection Agency
Division of Air Pollution Control
50 W. Town St., Suite 700
Columbus, Ohio 43215

Tel: 614-644-3632
e-mail: holly.kaloz@epa.ohio.gov

From: Eyth, Alison [<mailto:Eyth.Alison@epa.gov>]
Sent: Wednesday, February 08, 2017 4:20 PM
To: Kaloz, Holly <Holly.Kaloz@epa.ohio.gov>
Subject: RE: NODA - boiler MACT units

Hi Holly,

I've attached a file based on the ptnonipm.xlsx in the zip file list below, but the attached file has column headers and a short README. Please check out the tab CONTROL_2011v6_2_20xx_BoilerMAC and filter on rows for your state to see what units we

specifically assigned. We welcome any feedback on this because we often have to make assignments without much state-specific detailed information.

ftp://ftp.epa.gov/EmisInventory/2011v6/v3platform/reports/2023el_CoST_Projection_Packets.zip

Please let me know if you have any questions,

Alison

From: Holly.Kaloz@epa.ohio.gov [<mailto:Holly.Kaloz@epa.ohio.gov>]

Sent: Tuesday, February 07, 2017 8:41 AM

To: Eyth, Alison <Eyth.Alison@epa.gov>

Subject: NODA - boiler MACT units

Good morning,

I'm from Ohio EPA and am reviewing the 2015 ozone transport NODA. I can't seem to locate the specific units identified by U.S. EPA as being subject to the Boiler MACT in the files provided (just the methodology U.S. EPA used to identify them). Can you please provide the actual list of units in Ohio identified by U.S. EPA as subject to the Boiler MACT, so I can verify with our records?

Please let me know if you have any questions.

Thanks!

Holly

Holly Kaloz
Ohio Environmental Protection Agency
Division of Air Pollution Control
50 W. Town St., Suite 700
Columbus, Ohio 43215

Tel: 614-644-3632

e-mail: holly.kaloz@epa.ohio.gov